

Changing the Global Repository Data Directory and Port

Note: This information only applies to QA Wizard Pro 2011.0 and earlier.

By default, the QA Wizard Pro application repository data is saved in [drive]:\QAWRepository, where [drive] is the drive letter of the installation path. For example, if you installed the product in C:\Program Files\Seapine\QA Wizard Pro, then the QAWRepository data is stored in C:\QAWRepository.

You can customize the location that the repository data is stored in. Inside the QA Wizard Pro installation directory is a file named QAWRepositoryConfig.xml. This file allows you to change the default directory location and the QAWRepository port.

1. Stop the QAWRepository server (Control Panel > Administrative Tools > Services).
2. Open QAWRepositoryConfig.xml with Notepad or another editor.
3. To change the default data directory, locate the following line: DEFAULT.
4. Replace DEFAULT with the path you want to use (e.g., D:\QAWRepository).
5. To change the port number, locate the following line: 8002.
If you change the port number, users must also change the port number they are connecting to. In QA Wizard Pro, choose Tools > Options > Global Repository tab.
6. Replace 8002 with the server port number you want to use.
7. Save the file and restart the QAWRepository service.

Article ID: 789

Last updated: 23 Dec, 2014

Revision: 2

QA Wizard Pro -> Changing the Global Repository Data Directory and Port

<http://www.seapine.com/knowledgebase/index.php?View=entry&EntryID=789>