

Capturing Web Page Text with QA Wizard Pro Functions

Web page text is not captured and saved in the application repository during recording because it is not a property of a window or control. If you want to perform actions based on web page text or verify that the text is correct, you can use functions that examine HTML code and return text.

The `ExtractHTMLToString` function returns the HTML in a specified window as a string. The `HTMLFindByID` and `HTMLFindByTag` functions examine the returned string and return the text in a specified HTML element ID or tag.

Using the `HTMLFindByID` function

The `HTMLFindByID` function returns a string that contains the inner text of the tag with the specified HTML element ID. The following example shows how this function is used to return the ticket number from a confirmation web page.

```
htmlText = ExtractHTMLToString("WysiCorp Thank You")
ticketNum = HTMLFindByID(htmlText, "ticket")
If ticketNum = "" then
    Fail("Could not find the ticket number")
Else
    PrintLn("The ticket number is " & ticketNum)
End If
```

- The `htmlText` variable is declared. Its value is the HTML returned from the WysiCorp Thank You page using the `ExtractHTMLToString` function.
- The `ticketNum` variable is declared. Its value is the string returned by the `HTMLFindByID` function, which examines the HTML returned to the `htmlText` variable and returns the text with the "ticket" element ID. For example, the following HTML shows the ticket element ID and value.

```
<td bgcolor="#DDF8D8" id="ticket">W72236</td>
```

- The If statement fails the script if no text is returned by the `HTMLFindByID` function. If text is returned, "The ticket number is" followed by the ticket number is printed in the Output window.

Using the `HTMLFindByTag` function

The `HTMLFindByTag` function returns an array of strings that contains the inner text of the HTML element with the specified element tag. The following example shows how the `HTMLFindByTag` function is used to return the text in tags.

```
htmlText=ExtractHTMLToString ("WysiCorp List")
tag = HTMLFindByTag(htmlText,"p")
If Left(tag(2), 9) <> "CustomerB" then
    Fail("Could not find the customer")
Else
```

```
PrintLn("The customer is " & tag(2))
```

```
End If
```

- The `htmlText` variable is declared. Its value is the HTML returned from the WysiCorp List page using the `ExtractHTMLToString` function.
- The `tag` variable is declared. Its value is an array of strings returned by the `HTMLFindByTag` function, which examines the HTML in the `htmlText` variable and returns the text within all of the tags. For example, if the page contains three tags, the array contains three strings. Each string is accessed using the array index (1, 2, or 3).
- The If statement fails the script if the characters returned by the `Left` function are not equal to "Customer B". The `Left` function returns the first 9 characters of the string stored as index 2 of the array in the `TAG` variable. If "Customer B" is returned, "The customer is" followed by the value of array index 2 is printed in the Output window.

Article ID: 794

Last updated: 07 Jun, 2017

Revision: 2

QA Wizard Pro -> Capturing Web Page Text with QA Wizard Pro Functions

<http://www.seapine.com/knowledgebase/index.php?View=entry&EntryID=794>